

Catalogue 2024

EN



aRTE/iTALIANA



Catalogue 2024

Index

6

Ho.Re.Ca. Line (GN1/1)

7 Ego Slim 2/3

8 Ego Slim

10 Ego

13 Ego Rack

15 Mood

18 Mood Rack

20 Stacked

21

Arte Bianca Line (600x400)

22 Star

25 Taos

28 Proofer

30 Stacked

31

Hood

49

General sales conditions



HO.RE.CA. LINE
for cuisine artists

ego[□] slim 2/3

Available in September



EGS235TS

n. Trays Orientation



5 GN2/3



TECHNICAL FEATURES

Capacity	5 trays GN2/3	Recipes	999
Pitch	70 mm	Cooking phases	10
Dimension mm (LxDxH)	509x664x669		
Weight (kg)	55 kg		
Power	5,3 kW		
Voltage	380-415 V 3N 50/60 Hz 230 V 3P 50/60 Hz		
IP protection level	IPx 4		

OPTIONAL

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Left door opening	Z

ego[□] slim



EGS6TS

n. Trays Orientation



6 GN1/1



TECHNICAL FEATURES

Capacity	6 trays GN 1/1	Recipes	999
Pitch	70 mm	Cooking phases	10
Dimension mm (LxDxH)	510x905x850		
Weight (kg)	79 kg		
Power	7,5 kW		
Voltage	380-415 V 3N 50/60 Hz		
IP protection level	IPx 4		

OPTIONAL

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Automatic Washing	W
Detergent Box – Yesclean*	B
Detergent Box - Yesclean/Yescal*	BB
Integrated Shower	S
Steamer (3kW)	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES

*Single box: for detergent only (oven without steamer)
 Double box: for detergent and descalant (oven with steamer)



Condensation hood for Slim ovens

Cod. HOOD/CS



6 levels stand (LxDxH)
513x908x687 mm for Ego Slim
Cod. YSTSLIM

Stand wheels kit
Cod. YSTW



External shower kit

Cod. 260700004-V



Multi-point core probe

Cod. 061200013-V



Cartridge filter mod. XL with connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge filter mod. XL
Cod. 260900001-3-V



YesCal limescale product for steamer washing (box with 12 pcs 1Kg each)
Cod. 400100022

YesClean detergent (box with 12 pcs 1Kg each)
Cod. 400100013

GN 1/1



Aluminium non-stick tray for 6 eggs (MOQ: 5 pcs.)
Cod. 220100006



Aluminium not-stick perforated tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015



Stainless steel tray h.20 d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 220200003

Stainless steel tray h.40 d.53x32,5 cm (MOQ: 3 pcs.)
Cod. 220200002



Stainless steel perforated tray h.20 d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004



Steel granite enameled tray h.20 GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007



Pizza tray d.53x32,5cm (MOQ:2 pcs.) Cod. 220100009



Fry steel tray h.40 d.53x32,5 cm (MOQ: 2 pcs.) Cod. 220100005



Chromed grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100002



Grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100006



Roast chicken tray (8 spikes) d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

ego.



EGO7TS

n. Trays Orientation



7 GN1/1



EGO11TS

n. Trays Orientation



11 GN1/1



TECHNICAL FEATURES

Capacity	7 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	850x890x890
Weight (kg)	105 kg
Power	11 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	999
Cooking phases	10

Capacity	11 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	850x890x1170
Weight (kg)	142 kg
Power	17 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	999
Cooking phases	10

OPTIONAL (available for both versions)

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Automatic Washing	W
Detergent Box – Yesclean*	B
Detergent Box - Yesclean/Yescal*	BB
Integrated Shower	S
Steamer (7,5kW)	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES

*Single box: for detergent only (oven without steamer)
Double box: for detergent and descalant (oven with steamer)



Condensation hood
Cod. HOOD/C

Hood without condensing kit
Cod. HOOD

Hood connection tube kit (only)
Cod. YSTKITC-0000



Digital ventilated proofer

12 trays 600x400 (LxDxH) 850x930x740mm

Cod. LIEV12D



6 levels stand (LxDxH)
850x890x720 mm Cod. YSTDP

Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK

Stackable kit Cod. YSTKIT-00000

Stackable kit with hood connection
tubes kit Cod. YSTKIT-06000

Stand wheels kit Cod. YSTW



External shower kit

Cod. 260700004-V



Multi-point core probe

Cod. 061200013-V



Cartridge filter mod. XL with
connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge
filter mod. XL
Cod. 260900001-3-V



YesCal limescale product
for steamer washing (box
with 12 pcs 1Kg each)
Cod. 400100022

YesClean detergent (box
with 12 pcs 1Kg each)
Cod. 400100013



6 trays 600x400 rackholder
(Rod Frame) Cod. 390200008



6 trays 600x400 trayholder
("L" plate) Cod. 390200001



10 trays 600x400 rackholder
(Rod Frame) Cod. 390200005



10 trays 600x400 trayholder
("L" plate) Cod. 390200003

GN 1/1



Aluminium non-stick tray for 6
eggs d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100006



Aluminium not-stick perforated
tray h.20 d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20 d.
53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015



Stainless steel tray h.20 d.53x32,5
cm (MOQ: 5 pcs.)
Cod. 220200003



Stainless steel tray h.40 d.53x32,5
cm (MOQ: 3 pcs.)
Cod. 220200002

Stainless steel perforated tray h.20
d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004



Steel granite enameled tray h.20
GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007



Pizza tray d.53x32,5cm
(MOQ:2 pcs.) Cod. 220100009




Fry steel tray h.40 d.53x32,5 cm
(MOQ: 2 pcs.) Cod. 220100005



Chromed grids tray d.53x32,5
cm (MOQ: 5 pcs.) Cod.
230100002



Grids tray d.53x32,5 cm
(MOQ: 5 pcs.) Cod. 230100006




Roast chicken tray (8 spikes)
d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

600X400



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

ego₁ rack



n. Trays Orientation



20 GN1/1



EGO20TS

Configurable also with 16 GN1/1 trays or 16 600x400 trays

TECHNICAL FEATURES

Capacity	20 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	900x890x1915
Weight (kg)	225 kg
Power	31,5 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	999
Cooking phases	10

OPTIONAL (available for all versions)

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Automatic Washing	W
Detergent Box - Yesclean*	B
Detergent Box - Yesclean/Yescal*	BB
Integrated Shower	S
Steamer (7,5kW)	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES

*Single box: for detergent only (oven without steamer)
Double box: for detergent and descalant (oven with steamer)



16 trays GN1/1 trolley Cod. 142000014-V

16 trays 600x400 trolley Cod. 142000015-V

20 trays GN1/1 trolley Cod. 142000013-V



Multi-point core probe

Cod. 061200013-V



Cartridge filter mod. XL with connection head Cod. 260900001

Cartridge filter mod. XL Cod. 260900001-1

Connection head for cartridge filter mod. XL Cod. 260900001-3-V



YesCal limescale product for steamer washing (box with 12 pcs 1Kg each) Cod. 400100022

YesClean detergent (box with 12 pcs 1Kg each) Cod. 400100013

GN 1/1



Aluminium non-stick tray for 6 eggs d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100006



Aluminium not-stick perforated tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100015



Stainless steel tray h.20 d.53x32,5 cm (MOQ: 5 pcs.) Cod. 220200003

Stainless steel tray h.40 d.53x32,5 cm (MOQ: 3 pcs.) Cod. 220200002



Stainless steel perforated tray h.20 d.53x32,5 (MOQ: 5 pcs.) Cod. 220200004



Steel granite enameled tray h.20 GN 1/1 (MOQ: 5 pcs.) Cod. 220100007



Pizza tray d.53x32,5cm (MOQ:2 pcs.) Cod. 220100009



Fry steel tray h.40 d.53x32,5 cm (MOQ: 2 pcs.) Cod. 220100005



Chromed grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100002



Grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100006




Roast chicken tray (8 spikes) d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100005

600X400



Aluminium tray h.20 600x400 (MOQ: 5 pcs.) Cod. 220100001




Aluminium perforated tray h.20 600x400 (MOQ: 5 pcs.) Cod. 220100010



Pizza tray h.20 600x400 (MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400 (MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium perforated tray 600x400 (MOQ: 2 pcs.)

Cod. 220100019

mood



MOOD7D

n. Trays Orientation



7 GN1/1



MOOD11D

n. Trays Orientation



11 GN1/1



TECHNICAL FEATURES

Capacity	7 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	850x890x890
Weight (kg)	93 kg
Power	11 kW*
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	99
Cooking phases	5

Capacity	11 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	850x890x1170
Weight (kg)	127 kg
Power	17 kW*
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	99
Cooking phases	5

*Combi oven with steamer 11kW (7T) and 17kW (11T)

OPTIONAL (available for all versions)

SELECTABLE OPTIONAL	COD.
Single-point core probe	CRSP
Automatic Washing*	W
Detergent Box – Yesclean**	B
Detergent Box - Yesclean/Yesca**	BB
Integrated Shower	S
Steamer	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES

*Automatic washing becomes standard if the oven is equipped with a steamer


**Single box: for detergent only (oven without steamer)
Double box: for detergent and descalant (oven with steamer)

	<p>Condensation hood Cod. HOOD/C</p> <p>Hood without condensing kit Cod. HOOD</p> <p>Hood connection tube kit (only) Cod. YSTKITC-0000</p>	 <p>Digital ventilated proofer 12 trays 600x400 (LxDxH) 850x930x740mm Cod. LIEV12D</p>
	<p>6 levels stand (LxDxH) 850x890x720 mm Cod. YSTDP</p> <p>Stand for stackable column (LxDxH) 850x850x282 mm Cod. YSTSTK</p> <p>Stackable kit Cod. YSTKIT-00000</p> <p>Stackable kit with hood connection tubes kit Cod. YSTKIT-06000</p> <p>Stand wheels kit Cod. YSTW</p>	 <p>External shower kit Cod. 260700004-V</p>  <p>Single-point core probe for Mood and Taos ovens Cod. 061200007-V</p>
	<p>Cartridge filter mod. XL with connection head Cod. 260900001</p> <p>Cartridge filter mod. XL Cod. 260900001-1</p> <p>Connection head for cartridge filter mod. XL Cod. 260900001-3-V</p>	 <p>YesCal limescale product for steamer washing (box with 12 pcs 1Kg each) Cod. 400100022</p> <p>YesClean detergent (box with 12 pcs 1Kg each) Cod. 400100013</p>
 	<p>6 trays 600x400 rackholder (Rod Frame) Cod. 390200008</p> <p>6 trays 600x400 trayholder ("L" plate) Cod. 390200001</p>	  <p>10 trays 600x400 rackholder (Rod Frame) Cod. 390200005</p> <p>10 trays 600x400 trayholder ("L" plate) Cod. 390200003</p>
 	<p>Aluminium non-stick tray for 6 eggs d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100006</p> <p>Aluminium not-stick perforated tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100014</p> <p>Aluminium not-stick tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100015</p>	  <p>Stainless steel tray h.20 d.53x32,5 cm (MOQ: 5 pcs.) Cod. 220200003</p> <p>Stainless steel tray h.40 d.53x32,5 cm (MOQ: 3 pcs.) Cod. 220200002</p> <p>Stainless steel perforated tray h.20 d.53x32,5 (MOQ: 5 pcs.) Cod. 220200004</p>
  	<p>Steel granite enameled tray h.20 GN 1/1 (MOQ: 5 pcs.) Cod. 220100007</p> <p>Pizza tray d.53x32,5cm (MOQ:2 pcs.) Cod. 220100009</p> <p>Fry steel tray h.40 d.53x32,5 cm (MOQ: 2 pcs.) Cod. 220100005</p>	   <p>Chromed grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100002</p> <p>Grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100006</p> <p>Roast chicken tray (8 spikes) d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100005</p>

600X400



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

mood[□]

rack



n. Trays Orientation



20 GN1/1



MOOD20D

Configurable also with 16 GN1/1 trays or 16 600x400 trays

TECHNICAL FEATURES

Capacity	20 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	900x890x1915
Weight (kg)	225 kg
Power	31,5 kW*
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	99
Cooking phases	5

*Combi oven with steamer 31,5kW

OPTIONAL (available for all versions)

SELECTABLE OPTIONAL	COD.
Single-point core probe	CRSP
Automatic Washing	W
Detergent Box – Yesclean*	B
Detergent Box - Yesclean/Yescal*	BB
Integrated Shower	S
Steamer	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES

*Single box: for detergent only (oven without steamer)
 Double box: for detergent and descalant (oven with steamer)



16 trays GN1/1 trolley Cod. 142000014-V

16 trays 600x400 trolley Cod. 142000015-V

20 trays GN1/1 trolley Cod. 142000013-V



Single-point core probe for Mood and Taos ovens

Cod. 061200007-V



Cartridge filter mod. XL with connection head Cod. 260900001

Cartridge filter mod. XL Cod. 260900001-1

Connection head for cartridge filter mod. XL Cod. 260900001-3-V



YesCal limescale product for steamer washing (box with 12 pcs 1Kg each) Cod. 400100022

YesClean detergent (box with 12 pcs 1Kg each) Cod. 400100013

GN 1/1



Aluminium non-stick tray for 6 eggs d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100006



Aluminium not-stick perforated tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100015



Stainless steel tray h.20 d.53x32,5 cm (MOQ: 5 pcs.) Cod. 220200003



Stainless steel tray h.40 d.53x32,5 cm (MOQ: 3 pcs.) Cod. 220200002

Stainless steel perforated tray h.20 d.53x32,5 (MOQ: 5 pcs.) Cod. 220200004



Steel granite enameled tray h.20 GN 1/1 (MOQ: 5 pcs.) Cod. 220100007



Pizza tray d.53x32,5cm (MOQ:2pcs.) Cod. 220100009




Fry steel tray h.40 d.53x32,5 cm (MOQ: 2 pcs.) Cod. 220100005



Chromed grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100002



Grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100006




Roast chicken tray (8 spikes) d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100005

600X400



Aluminium tray h.20 600x400 (MOQ: 5 pcs.) Cod. 220100001




Aluminium perforated tray h.20 600x400 (MOQ: 5 pcs.) Cod. 220100010



Pizza tray h.20 600x400 (MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400 (MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium perforated tray 600x400 (MOQ: 2 pcs.)

Cod. 220100019

stacked

choose your own solution

- ✓ space-saving
- ✓ flexibility
- ✓ cost-effectiveness
- ✓ cheaper price than a 16/20 trays oven



Hood+ Ego 7 trays+ Ego 11 trays

850x952x2.397



Hood+ Mood 7 trays + Mosaico 11 trays


850x952x2.397

Configuration*

Dimension mm (LxDxh)

Accessories

- Condensation hood - Cod. HOOD/C
- Hood (without condensing kit) - Cod. HOOD
- Stackable kit Hood connection tubes
Cod. YSTKIT-06000
- Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK



ARTE BIANCA LINE

for pastry and bakery masters



star



STAR6TS

n. Trays Orientation



6 GN1/1



STAR10TS

n. Trays Orientation



10 GN1/1



TECHNICAL FEATURES

Capacity	6 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	850x890x890
Weight (kg)	95 kg
Power	11 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	999
Cooking phases	10

Capacity	10 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	850x890x1170
Weight (kg)	132 kg
Power	18 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	999
Cooking phases	10

OPTIONAL (available for both versions)

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Automatic Washing	W
Detergent Box – Yesclean*	B
Detergent Box - Yesclean/Yescal*	BB
Integrated Shower	S
Steamer (7,5kW)	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES


*Single box: for detergent only (oven without steamer)
Double box: for detergent and descalant (oven with steamer)



Condensation hood
Cod. HOOD/C

Hood without condensing kit
Cod. HOOD

Hood connection tube kit (only)
Cod. YSTKITC-0000



Digital ventilated proofer

12 trays 600x400 (LxDxH) 850x930x740mm

Cod. LIEV12D



6 levels stand (LxDxH)
850x890x720 mm Cod. YSTDP

Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK

Stackable kit Cod. YSTKIT-00000

Stackable kit with hood connection
tubes kit Cod. YSTKIT-06000

Stand wheels kit Cod. YSTW



External shower kit

Cod. 260700004-V



Multi-point core probe

Cod. 061200013-V



Cartridge filter mod. XL with
connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge
filter mod. XL
Cod. 260900001-3-V



YesCal limescale product
for steamer washing (box
with 12 pcs 1Kg each)
Cod. 400100022

YesClean detergent (box
with 12 pcs 1Kg each)
Cod. 400100013



7 trays GN 1/1 rackholder
(Rod frame) Cod. 390100006



7 trays GN 1/1 trayholder
("L" plate) Cod. 390200002



11 trays GN 1/1 rackholder
(Rod frame) Cod. 390100007




11 trays GN 1/1 trayholder
("L" plate) Cod. 390200004

600X400



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

GN 1/1



Aluminium non-stick tray for 6 eggs d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100006



Stainless steel tray h.20 d.53x32,5 cm (MOQ: 5 pcs.) Cod. 220200003



Aluminium not-stick perforated tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100014

Stainless steel tray h.40 d.53x32,5 cm (MOQ: 3 pcs.) Cod. 220200002



Stainless steel perforated tray h.20 d.53x32,5 (MOQ: 5 pcs.) Cod. 220200004

Aluminium not-stick tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.) Cod. 220100015



Steel granite enameled tray h.20 GN 1/1 (MOQ: 5 pcs.) Cod. 220100007



Chromed grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100002




Pizza tray d.53x32,5cm (MOQ:2 pcs.) Cod. 220100009



Grids tray d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100006



Fry steel tray h.40 d.53x32,5 cm (MOQ: 2 pcs.) Cod. 220100005



Roast chicken tray (8 spikes) d.53x32,5 cm (MOQ: 5 pcs.) Cod. 230100005

taos.



TAOS6D

n. Trays Orientation



6 GN1/1



TAOS10D

n. Trays Orientation



10 GN1/1



TECHNICAL FEATURES

Capacity	6 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	850x890x890
Weight (kg)	93 kg
Power	11 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	99
Cooking phases	5

Capacity	10 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	850x890x1170
Weight (kg)	127 kg
Power	17 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4
Recipes	99
Cooking phases	5

*Combi oven with steamer 11kW (6T) and 17kW (10T)

OPTIONAL (available for both versions)

SELECTABLE OPTIONAL	COD.
Single-point core probe	CRSP
Automatic Washing*	W
Detergent Box – Yesclean**	B
Detergent Box - Yesclean/Yescal**	BB
Integrated Shower	S
Steamer	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES

*Automatic washing becomes standard if the oven is equipped with a steamer

**Single box: for detergent only (oven without steamer)
Double box: for detergent and descalant (oven with steamer)



Condensation hood
Cod. HOOD/C

Hood without condensing kit
Cod. HOOD

Hood connection tube kit (only)
Cod. YSTKITC-0000



Digital ventilated proofer
12 trays 600x400 (LxDxH) 850x930x740mm

Cod. LIEV12D



6 levels stand (LxDxH)
850x890x720 mm Cod. YSTDP

Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK

Stackable kit Cod. YSTKIT-00000

Stackable kit with hood connection
tubes kit Cod. YSTKIT-06000

Stand wheels kit Cod. YSTW



External shower kit
Cod. 260700004-V



Single-point core probe for
Mood and Taos ovens
Cod. 061200007-V



Cartridge filter mod. XL with
connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge
filter mod. XL
Cod. 260900001-3-V



YesCal limescale product
for steamer washing (box
with 12 pcs 1Kg each)
Cod. 400100022

YesClean detergent (box
with 12 pcs 1Kg each)
Cod. 400100013



7 trays GN 1/1 rackholder
(Rod frame) Cod. 390100006



7 trays GN 1/1 trayholder
("L" plate) Cod. 390200002




11 trays GN 1/1 rackholder
(Rod frame) Cod. 390100007



11 trays GN 1/1 trayholder
("L" plate) Cod. 390200004



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

GN 1/1



Aluminium non-stick tray for 6 eggs d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100006



Stainless steel tray h.20 d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 220200003



Aluminium not-stick perforated tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100014

Stainless steel tray h.40 d.53x32,5 cm (MOQ: 3 pcs.)
Cod. 220200002



Stainless steel perforated tray h.20 d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004

Aluminium not-stick tray h.20 d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015



Steel granite enameled tray h.20 GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007



Chromed grids tray d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100002




Pizza tray d.53x32,5cm (MOQ:2 pcs.)
Cod. 220100009



Grids tray d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100006



Fry steel tray h.40 d.53x32,5 cm (MOQ: 2 pcs.)
Cod. 220100005



Roast chicken tray (8 spikes) d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

Proofer



LIEV12M

n. Trays Orientation



12 600x400



LIEV12D

n. Trays Orientation



12 600x400



TECHNICAL FEATURES

Capacity	12 trays 600x400
Pitch	75 mm
Dimension mm (LxDxH)	850x930x740
Weight (kg)	58 kg
Power	1.5 kW
Voltage	230 V 3P 50/60 Hz
IP protection level	IPx 4

Capacity	12 trays 600x400
Pitch	75 mm
Dimension mm (LxDxH)	850x930x740
Weight (kg)	58 kg
Power	1.5 kW
Voltage	230 V 3P 50/60 Hz
IP protection level	IPx 4

600X400



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

GN 1/1



Aluminium non-stick tray for 6
eggs d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100006



Aluminium not-stick perforated
tray h.20 d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20 d.
53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015



Stainless steel tray h.20 d.53x32,5
cm (MOQ: 5 pcs.)
Cod. 220200003



Stainless steel tray h.40 d.53x32,5
cm (MOQ: 3 pcs.)
Cod. 220200002

Stainless steel perforated tray h.20
d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004



Steel granite enameled tray h.20
GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007



Pizza tray d.53x32,5cm
(MOQ:2 pcs.) Cod. 220100009




Fry steel tray h.40 d.53x32,5 cm
(MOQ: 2 pcs.) Cod. 220100005



Chromed grids tray d.53x32,5
cm (MOQ: 5 pcs.) Cod.
230100002



Grids tray d.53x32,5 cm
(MOQ: 5 pcs.) Cod. 230100006



Roast chicken tray (8 spikes)
d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

stacked

choose your own solution

- ✓space-saving
- ✓flexibility
- ✓cost-effectiveness
- ✓cheaper price than a 16/20 trays oven



Hood + Taos 10 trays + Proofer

850x930x2.236



Hood + Star 6 trays + Star 10 trays

850x952x2.397

Configuration*

Dimension mm (LxDxH)

Accessories

- Condensation hood
Cod. HOOD/C
- Hood (without condensing kit)
Cod. HOOD
- YSTKIT-06000 Stackable kit - Hood connection tubes
- Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK



hood



HOOD/C

HOOD

HOOD/CS

HOOD/S

CONDENSATION

EXTRACTION

CONDENSATION

EXTRACTION

852x990x330

852x990x330

**Dimension mm
(LxDxH)**

508x990x353

508x990x353

49 Kg

49 Kg

Weight (kg)

36 Kg

36 Kg

170 W

170 W

Power

52 W

52 W

220-240 V / 1N

220-240 V / 1N

Voltage

220-240 V / 1N

220-240 V / 1N

IP x 4

IP x 4

IP protection level

IP x 4

IP x 4

900m³/h900m³/h
Air flow
450m³/h450m³/h

56dBA

56dBA

Sound pressure level

54dBA

54dBA

*Suitable for EGO, MOOD, STAR, TAOS models.

*Suitable for EGO Slim model

Catalogue 2024

EN



aRTE/iTALIANA



Index

36

Ho.Re.Ca. Line (GN1/1)

37 Mosaico

40

Arte Bianca Line (600x400)

41 Karma

48

General sales conditions



HO.RE.CA. LINE
for cuisine artists

mosaico



MOS7M

n. Trays Orientation



7 GN1/1



MOS11M

n. Trays Orientation



11 GN1/1



TECHNICAL FEATURES

Capacity	7 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	850x890x890
Weight (kg)	90 kg
Power	11 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4

Capacity	11 trays GN 1/1
Pitch	70 mm
Dimension mm (LxDxH)	850x890x1170
Weight (kg)	125 kg
Power	17 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4

OPTIONAL (available for both versions)

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Automatic Washing	W
Detergent Box - Yesclean	B
Detergent Box - Yesclean/Yescal	BB
Integrated Shower	S
Steamer	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES



Condensation hood
Cod. HOOD/C

Hood without condensing kit
Cod. HOOD

Hood connection tube kit (only)
Cod. YSTKITC-0000



Digital ventilated proofer

12 trays 600x400 (LxDxH) 850x930x740mm

Cod. LIEV12D



6 levels stand (LxDxH)
850x890x720 mm Cod. YSTDP

Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK

Stackable kit Cod. YSTKIT-00000

Stackable kit with hood connection
tubes kit Cod. YSTKIT-06000

Stand wheels kit Cod. YSTW



External shower kit

Cod. 260700004-V



Cartridge filter mod. XL with
connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge
filter mod. XL
Cod. 260900001-3-V



6 trays 600x400 rackholder
(Rod Frame) Cod. 390200008



6 trays 600x400 trayholder
("L" plate) Cod. 390200001



10 trays 600x400 rackholder
(Rod Frame) Cod. 390200005



10 trays 600x400 trayholder
("L" plate) Cod. 390200003



Aluminium non-stick tray for 6
eggs d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100006



Aluminium not-stick perforated
tray h.20 d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20 d.
53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015

GN 1/1



Steel granite enameled tray h.20
GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007



Pizza tray d.53x32,5cm
(MOQ:2 pcs.) Cod. 220100009



Fry steel tray h.40 d.53x32,5 cm
(MOQ: 2 pcs.) Cod. 220100005



Stainless steel tray h.20 d.53x32,5
cm (MOQ: 5 pcs.)
Cod. 220200003



Stainless steel tray h.40 d.53x32,5
cm (MOQ: 3 pcs.)
Cod. 220200002

Stainless steel perforated tray h.20
d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004



Chromed grids tray d.53x32,5
cm (MOQ: 5 pcs.) Cod.
230100002



Grids tray d.53x32,5 cm
(MOQ: 5 pcs.) Cod. 230100006




Roast chicken tray (8 spikes)
d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

600X400



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010

600X400



Pizza tray h.20 600x400
(MOQ: 2 pcs)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

ARTE BIANCA LINE

for pastry and bakery masters



karma.



KA6M



KA10M

n. Trays Orientation



n. Trays Orientation



6 600x400



10 600x400



TECHNICAL FEATURES

Capacity	6 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	850x890x890
Weight (kg)	102 kg
Power	11 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4

Capacity	10 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	850x890x1170
Weight (kg)	125 kg
Power	17 kW
Voltage	380-415 V 3N 50/60 Hz
IP protection level	IPx 4

OPTIONAL (available for both versions)

SELECTABLE OPTIONAL	COD.
Multi-point core probe	CRMP
Automatic Washing	W
Detergent Box - Yesclean	B
Detergent Box -Yesclean/Yescal	BB
Integrated Shower	S
Steamer	H
ACT	ACT
Left door opening	Z
230V 3P (without steamer)	E
230V 3P (with steamer)	ES



Condensation hood
Cod. HOOD/C

Hood without condensing kit
Cod. HOOD

Hood connection tube kit (only)
Cod. YSTKITC-0000



Digital ventilated proofer

12 trays 600x400 (LxDxH) 850x930x740mm

Cod. LIEV12D



6 levels stand (LxDxH)
850x890x720 mm Cod. YSTDP

Stand for stackable column (LxDxH)
850x850x282 mm Cod. YSTSTK

Stackable kit Cod. YSTKIT-00000

Stackable kit with hood connection
tubes kit Cod. YSTKIT-06000

Stand wheels kit Cod. YSTW



External shower kit

Cod. 260700004-V



Cartridge filter mod. XL with
connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge
filter mod. XL
Cod. 260900001-3-V



7 trays GN 1/1 rackholder
(Rod frame) Cod. 390100006



7 trays GN 1/1 trayholder
("L" plate) Cod. 390200002



11 trays GN 1/1 rackholder
(Rod frame) Cod. 390100007




11 trays GN 1/1 trayholder
("L" plate) Cod. 390200004

600X400



Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001




Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs.)

Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)

Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)

Cod. 220100019

GN 1/1



Aluminium non-stick tray for 6
eggs d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100006



Aluminium not-stick perforated
tray h.20 d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20
d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015

GN 1/1



Steel granite enameled tray h.20
GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007



Pizza tray d.53x32,5cm
(MOQ:2 pcs.) Cod. 220100009



Fry steel tray h.40 d.53x32,5 cm
(MOQ: 2 pcs.) Cod. 220100005



Stainless steel tray h.20 d.53x32,5
cm (MOQ: 5 pcs.)
Cod. 220200003

Stainless steel tray h.40 d.53x32,5
cm (MOQ: 3 pcs.)
Cod. 220200002




Stainless steel perforated tray h.20
d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004



Chromed grids tray d.53x32,5
cm (MOQ: 5 pcs.) Cod.
230100002




Grids tray d.53x32,5 cm
(MOQ: 5 pcs.) Cod. 230100006



Roast chicken tray (8 spikes)
d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

Catalogue 2024

EN



aRTE/iTALIANA



essential^X



ES6MR

n. Trays Orientation



6 600X400



Configurable also with
6 or 10 trays GN1/1



ES10MR

n. Trays Orientation



10 600X400



TECHNICAL FEATURES

Capacity	6 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	863X952x960
Weight (kg)	87 kg
Power	10,5 kW
Voltage	380-415 V 3N 50/60 Hz 230 V 3P 50/60 Hz
IP protection level	IPx 4

Capacity	10 trays 600x400
Pitch	80 mm
Dimension mm (LxDxH)	863X952x1280
Weight (kg)	120 kg
Power	15,5 kW
Voltage	380-415 V 3N 50/60 Hz 230 V 3P 50/60 Hz
IP protection level	IPx 4



Drain pipe with external siphon kit *
Cod. 990000002-V

External shower kit *
Cod. 260700004-V



Drip tray kit *
Cod. 990000003-V

Drip tray on oven kit *
Cod. 990000006-V

Water inlet pipe kit *
Cod. 990000004-V



Digital ventilated proofer
12 trays 600x400 (LxDxH) 850x930x740mm
Cod. LIEV12D

6 levels stand (LxDxH) 850x890x720 mm
Cod. YSTDP

Stand for stackable column (LxDxH) 850x850x282 mm
Cod. YSTSTK

Stackable kit Cod. YSTKIT-00000

Stackable kit with hood connection tubes kit
Cod. YSTKIT-06000

Stand wheels kit Cod. YSTW



Cartridge filter mod. XL with connection head
Cod. 260900001

Cartridge filter mod. XL
Cod. 260900001-1

Connection head for cartridge filter mod. XL
Cod. 260900001-3-V

600X400




Aluminium tray h.20 600x400
(MOQ: 5 pcs.)
Cod. 220100001

Aluminium perforated tray h.20
600x400 (MOQ: 5 pcs.)
Cod. 220100010



Pizza tray h.20 600x400
(MOQ: 2 pcs)
Cod. 220100008



Grids tray 600x400
(MOQ: 5 pcs.)
Cod. 230100001



Baguette aluminium
perforated tray 600x400
(MOQ: 2 pcs.)
Cod. 220100019

GN 1/1



Aluminium non-stick tray for 6
eggs d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100006

Aluminium not-stick perforated
tray h.20 d. 53x32,5 cm
(MOQ: 5 pcs.) Cod. 220100014

Aluminium not-stick tray h.20
d. 53x32,5 cm (MOQ: 5 pcs.)
Cod. 220100015



Stainless steel tray h.20 d.53x32,5
cm (MOQ: 5 pcs.)
Cod. 220200003

Stainless steel tray h.40 d.53x32,5
cm (MOQ: 3 pcs.)
Cod. 220200002



Stainless steel perforated tray h.20
d.53x32,5 (MOQ: 5 pcs.)
Cod. 220200004



Steel granite enameled tray h.20
GN 1/1 (MOQ: 5 pcs.)
Cod. 220100007

Pizza tray d.53x32,5cm
(MOQ:2 pcs.) Cod. 220100009


Fry steel tray h.40 d.53x32,5 cm
(MOQ: 2 pcs.) Cod. 220100005



Chromed grids tray d.53x32,5
cm (MOQ: 5 pcs.) Cod.
230100002



Grids tray d.53x32,5 cm
(MOQ: 5 pcs.) Cod. 230100006



Roast chicken tray (8 spikes)
d.53x32,5 cm (MOQ: 5 pcs.)
Cod. 230100005

* Recommended accessories for gastronomy

General Sales Terms

Prices: current price list. YESOVENS Srl reserves the right to modify prices in any moment, by prior notice. In any case the only official valid document concerning prices is the ORDER CONFIRMATION.

Payment: as agreed

Standard packaging: Included

Delivery-place: ex-works

WARRANTY CLAUSES

1. The “ product “ is guaranteed for a period of One (1) year from shipment date, proven by a ship-ping document issued by YESOVENS Srl.

2. Warranty means free repair or free replacement of all components of the “ product “ recognized by YESOVENS Srl as faulty due manufacturing defects.

3. Warranty is not valid if “ defect “ is due to operator carelessness, wrong installation or maintenance, arbitrary modifications or maintenance, maintenance carried out by unauthorized staff, installation in not suitable areas, freight damages and any other circumstance not concerning manufacturing defects. Are not included in the Warranty even technical works regarding installation and connection to power plants. However, all parts subject to wear and tear for the operation of the appliance are excluded.

4. The manufacturer declines any responsibility that, either directly or indirectly, could involve people, pets or things due to non strict observance of instructions laid down on the “ Operator’s Manual “, especially sections relevant to installation, use and maintenance of the product, in the event of machine breakdown or forced suspended use. Also in the event of operator was not adequately prior informed on “ Work Safety “ ruling legislation or having adequate individual protection devices.

5. If the machine is repaired at manufacturer’s premises (under Warranty), costs and transport risks will be charged to customer, either for shipment to YESOVENS Srl and for re-shipment to customer’s location.

6. After 12 months the “ product “ is no longer under Warranty. Therefore any assistance or component replacement provided by the manufacturer will be charged to the customer. Working costs (per hour) to effect repairing by the manufacturer will be charged to the customer according working cost (per hour) and travelling costs stated by manufacturer. In the event of any service carried out at manufactures premises, the “product “ should be sent and re-sent after reparation at customer’s costs and risks.

7. In no event may the repairs under Warranty gives an extension or a renewal of the same.

8. In no event will the manufacturer/seller be responsible for direct and/or indirect damages caused by functioning defects of its products, excluding therefore any Warranty term as per Art. 1490 of the Italian Civil Code.

9. If the “ product “ is returned to manufacturer for repair, please send in advance a photocopy of its “ Warranty Certificate “, copy of order showing purchase date (duly stamped by customer) and relevant serial number of the product. These documents are COMPULSORIES.

10. Claims: Any claim should be made in written to the manufacturer , within 8 days from goods arrival, otherwise claim would not be accepted.

11. Goods returned: Return of any goods must be agreed and authorized by a written document.

12. Competent Court: For matters not covered by current sale terms and conditions, reference is made to Italian Civil Code and customary regulations. For any claim or controversy the Padua (PD) Court will be the only competent Court.



Yesovens srl
Via dell'Industria, 1
35010 Borgoricco (PD) - Italy
T. +39 049.9336455
F. +39 049.9335611
info@yesovens.it
www.yesovens.it

